

Closing the Gap for Children: PMTCT, Pediatrics, and OVC

PEPFAR Mozambique | March 9, 2022

Presenters:

Jessica Greenberg Cowan, CDC; Argentina Wate, USAID; Hayden Hawry, USAID

19 YEARS OF SAVING LIVES THROUGH AMERICAN GENEROSITY AND PARTNERSHIPS

PMTCT Advances, Challenges and Strategies



Successes and Current Gaps in the PMTCT Cascade

Clinical cascade WLHIV 15+yo

Increasing retesting for HIV Negative PLW

Steady growth in WLHIV TX_CURR

EID cascade

After multi-year improvement, stalled EID positivity over past three quarters

Robust EID coverage

Infant linkage improving

Viral load coverage and suppression


Progress slow for VLC and VLS in PW

Improvements in VLS for BFW



Clinical Cascade for WLHIV 15+yo Demonstrates Steady Growth


Clinical Cascade Summary WLWHIV 15+ yo, AJUDA Sites, Q1 2021 – Q1 2022





- Overall clinical cascade growth for WLHIV from Q1 2021 to Q1 2022, with slowed case finding gains in Q1
- VLC coverage improving, but further progress needed, in and out of ANC
- VLS consistently ≥90% since Q1 FY2021 and currently at 93%

PMTCT Program in AJUDA Sites with Multi Year Progress, but Uneven Recent Provincial Gains

HEI positivity trend AJUDA sites, 2019-2022







Consistent PCR positivity decrease nationally over the last 3 years, but progress stalled in past three quarters, including Q1

Provincial level challenges impacting progress in Q1:

- Maputo Province, Maputo City and Gaza with less than 2% positivity
- Cabo Delgado and Sofala with 12-month infant positivity >5%
- Cabo Delgado and Nampula with higher positivity among IDP mother-baby pairs impacting provincial results

Excellent results require excellent fidelity in implementation

Reinforcing PMTCT Programming for Displaced HIV+ PLW

IOM Displacement Tracking Matrix (DTM) November 2021

Province	Individuals	Adult Men	Adult Women	Children	% Children
Cabo Delgado	663,276	138,878	193,659	330,739	50%
Nampula	68,951	13,594	16,768	38,589	56%
Niassa	1,604	285	390	929	58%
Zambezia	1,265	250	290	725	57%
Sofala	153	34	42	77	50%
Inhambane	85	20	38	27	32%
Total	735,334	153,061	211,187	371,086	50%

Integrated mobile brigades with ANC and VL/EID testing, MM support

GBV screening (LIVES) and case management capacity for MM and clinicians caring for IDP's


3MDD for PLW in emergency settings

Mentor Mother teams in IDP communities—CDG and Nampula


Patient passports to ease transfer for highly mobile populations

EID Testing Coverage Robust in Most Provinces

EID Testing Coverage 0-12 months, AJUDA sites (Proxy denominator two quarters prior)



EID Testing Coverage, AJUDA sites (Q2 FY21 – Q1 FY22)





● PMTCT_EID (0-2 Months) ● EID (2-12 Months) ● EID Not Tested ● % EID Testing Coverage < 12 Months



Significantly Better Infant Linkage to Care in Health Facilities with EID POC







Footprint

- EID POC at 135 sites, with plan for expansion to 21 additional sites in CO21
- 42% of all EID tests at EID POC sites in Q1
- 21% of AJUDA sites with EID POC in place, serving 49% of HIV+ PW at AJUDA sites


Achievements

- Substantial increase in linkage to ART from Q2FY2021 to Q1FY2022:
 - All AJUDA sites: 87% to 91%
 - Conventional PCR sites: 80% to 85%
 - POC testing sites: 94% to 97%

Strategies driving improvement

- Active tracking of HIV+ infants by mentor mother/APSS teams for linkage to care
- Systematic review of non-linked cases to provide additional support for families at community-level


Viral Load Suppression Slowly Climbing for Breastfeeding Women



- Enhanced VL monitoring will be one focus of intensified PMTCT mentoring
- VL multiplexing launching in March 2022 in Zambezia and Nampula
- Revising site level SOP's to improve query/data quality to accurately designate pregnancy

Increasing Retesting HIV Negative PLW

PBFW Retesting Trends Q1 2021 to Q1 2022



- Spectrum estimates 40% of new pediatric infections linked to HIV incident infections in PLW
- MoH retesting circular released in Jan 2022
- Post ANC1 retesting with stable yield ~ 0.4%
- COP21 evaluation of MOH retesting screening tool with aim of focusing testing resources on highest at-risk HIV negative LW
- PrEP roll out and retesting program offer integrated service delivery

Pediatric & Adolescent Programming Status and Strategies



Successes and Current Gaps in Pediatric and Adolescent Clinical Cascade

Case identification

Case identification challenges

Stagnant TX_NEW

Retention and quality of care

Steady growth in pediatric TX_CURR

High pediatric TX_ML in North/Central Province and among young children and AGYW


Viral load coverage and suppression

Improvements in VLC

Though improving, low VLS among CLHIV and adolescents




Pediatric Clinical Cascade Demonstrates Steady Program Growth




- Stable case finding with steady pediatric program growth driven by reduction in IIT
- Improvements in VLC and VLS for CLHIV, but youngest children lagging in AJUDA sites

*VLC/S only reported for EPTS sites

Pediatric Program Growth Across All Provinces




% of ART coverage among CLHIV (0-14) by province




- * Coverage Numerator: Number on ART, TX CURR MER Q1 2022
- * Coverage Denominator: Estimated PLHIV, "PLHIV.T_1" (Spectrum v6.14 with Naomi Sept 2022)
- Pediatric program growth in all provinces
- Modeling suggests that Inhambane and Gaza reaching saturation for pediatric populations

Adolescent Program Growth but Low ART Coverage for Most Provinces

TX_CURR Trend by Province 15-19 yo



% of ART coverage among ALHIV (15-19) by province



- * Coverage Numerator: Number on ART, TX CURR MER Q1 2022
- * Coverage Denominator: Estimated PLHIV, "PLHIV.T_1" (Spectrum v6.14 with Naomi Sept 2022)
- Adolescent program growth in all provinces
- All provinces except Tete and Inhambane with estimated ART coverage <75%


Improved Identification of CLHIV via ICT but Many Children Still Found When Sick

Pediatric HTS Summary by Modality 2022 Q1

	HTS_TST	HTS_POS	* HTS_NNT	Yield % ₣	
Index	22,218	634	35	2.9%	
VCT	5,220	115	45	2.2%	
MobileMod	1,967	41	48	2.1%	
OtherPITC	74,680	1,413	53	1.9%	
TBClinic	1,920	34	56	1.8%	
Inpat	5,635	94	60	1.7%	
OtherMod	1,901	29	66	1.5%	
Emergency Ward	21,686	261	83	1.2%	
IndexMod	70,206	754	93	1.1%	
PMTCT ANC	1,633	16	102	1.0%	
Pediatric	42,982	294	146	0.7%	
Post ANC1	363	2	182	0.6%	

^{*} NNT - Number needed to test to identify one CLHIV

% Share of Total HTS_POS by Modality (<15) 2022 Q1



- Highest testing yields among Index, VCT and community-based testing modalities
- Approximately 59% of children in Q1 identified when <u>already sick</u>


Decreasing Yield in Pediatric ICT Requires Pivot for Better Focus

HTS POS and yield by index case modality, children <15



● HTS POS ● % Positive Yield


HTS POS and yield by index case modality 15-19 yo






Highest Pediatric Loss in North/Central Provinces, Young Children and AGYW

Pediatric TX_ML and Patient Loss by Province (2022 Q1)




- Cabo Delgado, Zambezia, Nampula, Sofala with highest % and # of pediatric patient losses
- Children 0-4 and female adolescents 15-19 with highest % and # of peds IIT

IIT by Sex & Age (2022 Q1)



Expanding Support for Children with Advanced HIV Disease




- AHD service scale up in Mozambique with strong focus on children
- Dedicated pediatric central support team supporting new tools, training AHD service sites and providing support to DPS/IPs
- Pediatric clinical mentoring program with strong AHD component




Pediatric AHD consultation room in Maputo City



New Cases in AGYW Driving Epidemic – ALHIV Mentors Part of the Solution







- AM is a peer-based strategy to support prevention of new infections, case identification, adherence and retention among adolescents and young people
- Launch of adolescent mentoring pilot at 22 sites with scale to 90 sites planned in COP21
- Expansion to a minimum of 25 additional sites in COP22 planned
- Male Champion strategy complementary to prevent new AGYW infections

Ongoing Improvements in VLC and VLS for CLHIV, but Youngest Children and Adolescents Lagging in AJUDA sites

VL Coverage by Age (2021 Q1 & 2022 Q1) <01 13% 20% 01-04

05-09


10-14

15-19




2021 Q1


2022 Q1



- Suppression rates improving but lag for children <5 years
- Challenges remain in northern and central provinces (Cabo Delgado, Zambezia, Sofala, Niassa)



Focused Support for Displaced Children in Cabo Delgado and Nampula




- Ongoing conflict in CDG since 2017 has resulted in the closing of 39 HF (with MCH services and maternities) and 884 HCW affected by the conflict
- PEPFAR reinforcing integrated mobile brigades to IDP communities with pediatric services
- IDP focused mentor mother teams for CLHIV <10 serving resettlement communities in Cabo Delgado and Nampula
- Ensuring synergies with non-PEPFAR donors
- IDP communities prioritized in OVC pivot

Half of IDPs are children

Ongoing Gains in Pediatric ART Optimization for CLHIV < 15 yo

Pediatric ARV Consumptions Trends, March 2019 – December 2021




- NVP consumption eliminated
- DTG 50 mg and LPV/r formulations with 43% and 57% consumption among children respectively
- pDTG in-country; dispensing began in February 2022 following training cascade, tool development and supply chain roll out

pDTG, when implemented effectively, can rapidly accelerate VLS among youngest children




Ongoing Increase in 3MMD for Children <15 yo (AJUDA Sites) in Q1 FY22

TX_MMD Trend, Children < 15 yo Q1FY 20 to Q1 FY 22



TX_MMD by Province, Children < 15 yo Q1 FY22





How will we accelerate progress? Blue Sky Initiative, COP22



Pediatric and PMTCT Surge Planning—Strategic Site Selection

Priority pediatric and PMTCT sites have highest volume gaps

	HEI_POS Not Linked to ART <12 months	PMTCT_EID %		# Children W/O VL Test	# Children Not Suppressed	Proposed Intensive Support Peds	Proposed Intensive Support PMTCT
▼	▼	↓ ↓	▼	▼	▼	•	▼
Eduardo Mondlane C	0	91%	15	113	61	×	×
1º Maio CS	0	99%	14	59	37	8	×
Nhamaonha CS	0	90%	16	67	52	×	×
Manica HD	0	93%	4	42	45	×	8
Gondola Sede CS	0	110%	4	84	59	×	8
7 de Abril CS	0	82%	16	28	67	8	8
Catandica HD	0	102%	7	93	47	8	×
Guro - Sede CS	Λ	97%	7	56	32	х	х

Pediatric Composite Score

Number of children lacking VL test

Number of children not suppressed

PMTCT Composite Score

Number of HIV infected infants

Number of HIV infected infants not linked to care


EID Testing Coverage

131 Priority Pediatric Sites, serving >40% CLHIV in each province


82 of these sites are priorities for both programs

138 priority PMTCT sites, serving >40% HII in each province

Intensified TA and Program Review by Partner and PEPFAR Teams



Site Visits to Priority Sites Framing and Driving Change



Enhanced Clinical Mentoring for Pediatric/PMTCT Services

Challenges with current PMTCT/
Peds mentoring model

- Uneven quality in clinical care
- Inconsistent implementation (fidelity) of MCH/PMTCT integrated mentoring package
- High turnover and workload of mentors
- Uneven technical capacity of mentors
- High turnover of mentees

Proposed intensified PMTCT and Peds monitoring platform

- Intensify implementation of existing package
- Mobile provincial TA team supported by IP complementary to MOH mentoring team
- Experienced professionals in provision of MCH/PMTCT, pediatric care and PSS support
- 1-2 week site visits with intensive mentoring to reach standard of care


Improved management and coordination

- Strong coordination between IP mentoring team and DPS/SPS
- Use of MoH mentoring tools and guidelines
- Ensure stability of mentored providers at HFs (reduced attrition/absenteeism)
- Provincial advisors placed in DPS with MISAU salaries (MOH priority)
- Reinforce site level QI plans

Support site team to implement best practices


- Identification of consultation rooms for peds, preferably as one-stop-shop model with family approach
- Ensuring team approach with mentor mother/counselor/psychologist/clinician/pharmacist
- Supporting routine case and data review
- Scaling critical interventions rapidly (ART optimization, DSD models)

Communities Leading Change in the Care of Women and Children




- Four mechanisms currently support CLM in 203 sites, including 55% of PMTCT/PEDs Blue Sky priority sites
- Community assessments driven by community/patient priorities
- ART services for children, youth friendly services (SAAJ) and MCH services (ANC, post-partum, family planning, maternity) among the services assessed
- CLM with focus on resolution of grievances and practical changes at health facility level
- Grievances frequently raise health worker behavior (lack of information regarding patients' health, absenteeism and disrespect)
- CLM can bring deeper benefits to MCH sub-populations:
 - Discussions focused on MCH sectors ground truth services for children and PLW
 - Blue Sky surge to include review of site level grievances and resolution strategies in priority sites

DSD Staffing Essential for MCH Surge Success



- HRH estimates that \$1,074,032 in addition to maintenance of COP21 HRH investment would be needed to close HRH gaps in Blue Sky priority health facilities
- Provinces with the largest staffing gaps are Zambezia, Maputo City, Gaza and Manica
- The current budget maximizes strategic efficiencies with site level funding priorities at the forefront
- Program growth and rising commodity costs require trade-offs

Mentor Mothers Remain a Critical Support to PLW/CLHIV in COP 22



32

100%

50%

0%

Maximize PMTCT and Pediatric Programming Impact

Surge approach at priority sites supported by IP, MISAU and PEPFAR teams, aligned with national MISAU QI initiative

Support pDTG roll-out for rapid gains in pediatric VLS

PMTCT and pediatric clinical mentoring initiative

HRH clinical services top-up to priority sites

Adolescent mentoring expansion

Mentor mother budget protected with top-up to fully scale support to CLHIV

IDP programming for MCH sub-populations

Improved ICT implementation for children

FOCUS ON QUALITY IN IMPLEMENTATION PATIENT CENTERED CARE



Mentor mother at work, Pedreira HF, Zambezia


OVC Program in COP22

OVC Geographic Alignment, Optimization, & Programmatic Shifts to Support to C/ALHIV, Mothers of HEI, & IDP



65% Estimated Coverage of C/ALHIV on ART Within OVC Program Districts


Total Estimated TX_CURR <18 Within OVC-Supported Districts, Number of OVC C/ALHIV on ART (<18), and OVC C/ALHIV on ART as Share (5) of TX_CURR <18 (Estimated), FY19-21



- TX_CURR <18 Estimated</p>
- OVC_HIVSTAT_POS Receiving ART
- OVC on ART as % of TX_CURR <18
- 80% increase in C/ALHIV on ART enrolled in OVC Case Management during FY21
- 65% estimated district-level coverage of C/ALHIV on ART within OVC program districts
- 42% estimated national-level coverage of C/ALHIV on ART; limited by OVC program geographic footprint
- OVC program must continue to expand to keep pace with growth in pediatric ART enrollment




C/ALHIV on ART Now 25% of Active OVC <18 in Comprehensive Services




- OVC_SERV_Active <18</p>
- OVC_HIVSTAT On ART
- OVC_HIVSTAT On ART as % of Active OVC <18</p>
- Shift in OVC program has led to greater share of C/ALHIV on ART actively receiving OVC comprehensive services
- C/ALHIV on ART occupy greater share of actively casemanaged OVC within highestburden SNUs (e.g. Sofala & Zambezia),
- Nonetheless, need to consider geographic shifts to enable greater numbers of OVC enrolled in case management in other high-burden SNUs



Need to Align OVC Case Management With Geography of Need




Site-Level Pediatric Viral Suppression; All Sites, FY22 Q1



- Current OVC district-level presence established in COP19, aligned with pediatric HIV burden
- Site-level support clustered within OVC program districts
- Several sites with large numbers of C/ALHIV on ART and low pediatric viral suppression, not currently covered by OVC program.
- Limited OVC program
 presence in northern
 Provinces (Cabo Delgado,
 Nampula), which now report
 the lowest pediatric viral
 suppression rates, and have
 large IDP populations.

OVC Site-Level Optimization to Support Higher-Volume Sites with Low VLS




- Prioritized expansion into 29 high-volume sites with 150+ C/ALHIV on ART and VLS% or VLC% below 75% for expansion.
- Aligned expansion plans with IDP population size estimates & geographic feasibility, in coordination with Inter-Agency MCH teams.
- Identified 49 stable, low volume sites with VLS% and VLC% above 75% for gradual transition during COP21.
- Will ensure clear hand-over plans for each OVC beneficiary at transition sites; will only exit once all are stable & graduated.

Targeted Increases in OVC Comprehensive Case Management

Province	COP21 Total Comprehensive OVC_SERV Targets	COP22 Pediatric TX_CURR Targets	COP22 Total Comprehensive OVC_SERV Targets	FY22 Q1 Pediatric Viral Suppression %	COP22 % Change in Comprehensive OVC_SERV Targets Over COP21	 Overall 14% increase in Comprehensive Case Management targets in COP22 vs COP21
Cabo Delgado	2,222	4,552	7,436	60%	235%	Will allow for
Zambezia	34,574	21,289	39,847	60%	15%	enrollment of
Sofala	14,401	9,926	15,713	64%	9%	additional 13,883
Nampula	9,286	12,122	15,750	72%	70%	C/ALHIV on ART in
Manica	11,666	7,553	13,234	72%	13%	COP22, above COP2
Tete	5,306	5,102	5,265	73%	-1%	1 targets, with 20 fewer HF to support
Inhambane	4,930	5,691	5,612	79%	14%	lewel ill to support
Gaza	18,384	10,348	16,658	80%	-9%	• Shift comprehensive t
Maputo	12,712	8,982	11,874	85%	-7%	0 1
Cidade De Maputo	11,282	7,047	10,728	88%	-5%	with lower pediatric
Grand Total	124,763	92,612	142,117		14%	viral suppression




Shift to Offer More OVC Comprehensive Case Management



- 21% reduction in OVC Prevention targets; 41% reduction in Non-DREAMS Prevention OVC targets
- DREAMS prevention activities with 10-17 year-olds within OVC districts account for 40% of OVC Prev. targets in COP22
- Increased budgeted comprehensive unit cost per beneficiary per year, from \$69.85 to \$76.61 (all inclusive)



Strong OVC-DREAMS Overlap & Synergies at the District & Site-Level



- OVC program is well aligned geographically with the DREAMS program
- OVC program overlap in 27 out of 32 DREAMS districts for COP22
- Able to enroll 80% of C/ALHIV on ART in DREAMS districts (collectively)
- 5 DREAMS districts without OVC program presence (Manhiça, Moamba, Magude, Namaacha, & Matutuine) have pediatric viral suppression of 83-91%
- Using same community IPs for both programs in 31/32 districts offers significant synergies & efficiencies

Improving Quality & Standardization of OVC Case Management in COP22

Strengthened Selection Criteria

Reinforced Beneficiary Protections

Skill-Focused Training

Expanded Joint Supervision

Standardized Interventions & Reporting

- Update selection criteria to professionalize hiring of Case Managers.
- Update and expand CM mentorship and skill-based training.
- Standardize CM guides & intervention packages, including for ART and TLD transition.
- Increase joint supervision visits with DPS and health facilities (e.g. APS) staff.
- Standardize CM reporting and data triangulation tools.
- Expand the use of community-based advocates and inclusion of beneficiary perspectives for child-protection & oversight.



OVC Program Focus on Most Vulnerable Mothers of HEI & CLHIV

1st 95

Supporting 95% of OVC PLHIV to Know their HIV Status

Increase awareness of HIV testing



Administer HIV risk assessment tools

Increase awareness of EID

Facilitate access to EID

Refer biological children and parents/siblings for index testing

Counsel and educate families on disclosure



Sup

Supporting 95% of OVC diagnosed with HIV receiving sustained ART



Counsel and educate beneficiaries on linkage, retention, adherence, and VLS

Conduct routine home visits and follow-up on defaulters

Swiftly refer non-adherent beneficiaries to ART

Provide comprehensive service package to households

Identify malnutrition and refer

Deliver household economic strengthening services



Supporting 95% of OVC on ART with VLS



Create community demand for VL testing and VLS

Support those not virally suppressed through linkage to community adherence clubs, support groups, and other services

Monitor VL literacy through home visits

Monitor caregiver's VLS and ART adherence


Swiftly refer ill and non-adherent children to health facility



- Responsive intensity
 of CM services for
 C/ALHIV and
 caregivers based
 on needs
 assessment;
- Focus on identifying and supporting the most challenging C/ALHV cases (low adherence, low viral support); and
- Household-level support to address underlying factors.



Strengthening OVC Case Management for Internally Displaced Persons (IDP)





5,000 IDP-Specific Case Management targets set for COP22

Programmatic Adaptations Planned for IDP:

- Update screening & prioritization criteria
- Create custom indicators to track IDP
- Map existing IDP partners & ensure clear referral systems
- Adapt prevention curriculum & case management packages in IDP districts to ensure appropriate screening & services

Obrigado!